

EXTERNAL

General Notes

All works to comply with specs, architects colour scheme or garden architects plans

FRONT YARD

Landscaper

General clean up and removal of rubbish no green waste to go in the skip bins allow to remove all of the rubbish

To provide kerbing to the borders of the newly established garden beds

Any area that is to be mulched must have a system used that will stop the grass growing through the mulch.

The system which you use is up to you but if the grass grows through the mulch you will be responsible for its removal.

If the grass continues to grow through the mulch and you will be responsible for the cost of what ever work is required to rectify the problem

Allow \$300 for the purchasing plants

Reticulation system (to include the verge)and controller same as the one on the houses in laundry broom cupboard (Lawn areas and garden beds)

Aerate top dress and seed lawn areas

All trees that are removed must have stumps left below the ground level

Remove all of the rocks in the area

Remove the existing garden beds and borders

Remove all of the wire from the carport structure

Concrete at the end of the drive and the area where the new power clothe line will go

Fencing Contractor

Replace any cracked or broken fencing unless other wise specified replace with same or similar

All gates to be in good working order

Right hand side of house

- New capping on the side fence back to the wing fence
- Replace the sheeting on the gates

Left hand side of house

- Replace the existing fence panels on the side boundary back to the wing fence
- Replace the wing fence

Painter

Carport

Maintenance

Provide new letter box and numbers

Remove the bent post from the carport and the one opposite it to match cut off and ground level

Back Yard

Landscaper

General clean up and removal of all rubbish

Cut all over hanging branches on fence line

Cut and edge all grass

Concrete path to the cloths hoist

Service the hoist or replace if needed

Rake and level the yard bring in fill if required to leave the yard safe and usable

8500 24 Balfour Scope

Remove all of the over hanging branches from fence line
Remove the tree right behind the carport ready for the concrete and cloths line
Remove and then form up new concrete steps to the back door once the plumber has re-run the pipe work
Remove the hills hoist and store (can use on another job)

Fencing Contractor

Replace any cracked or broken fencing unless other wise specified replace with same or similar
All gates to be in good working order

Plumber

Move any free standing taps against the house connect any existing or new down pipes to the storm water system

House

House External

Electrician

New oyster light front and rear

1 new circuits breaker with separate R.C.D M.C.B protection for power circuits and R.C.D M.C.B protection for light circuit

1 main earth (no stake required)

Earthing for all existing light points

Safety check and megga test installation

Allow to supply and fit new globes for all new and existing fittings

1 light switch under car port fit weather proof H.P.M 616 light fitting and have it two way switched with font light inside

Provide smoke alarms to comply with by laws

Brick Cleaner (if brick)

Light acid clean the exterior walls

Painter

To paint all previously painted surfaces and any new as specified (including the front veranda and the inside of the meter box)

Roof restorers

Full roof restoration and new colour bond gutters and down pipes including those on the carport (connect to storm water if available)

Maintenance (all external timber work to be CCA)

Fix or replace all damaged facia, bargeboard or eaves linings

Replace missing cover batons

Fix or replace Scotia from eaves

Fix tile fillets from side of house

Remove any old brackets, nails or any other obsolete fixtures from barges or facia

Replace and cracked or missing cladding

Bird board all the way around

Plumber

Relace the floor waste flaps if in poor condition

Fix any loose pipe work from any where around the house

Re- root any pipes that run over the verandas or steps

All grills over any DG or any other out let must be good condition and replace any that are missing

8500 24 Balfour Scope

Fix any cracked or broken DG or any other pipe connections
Check all of the storm water connections if broken,damaged , buried fix or replace

House Internal

Maintenance

Remove any old brackets, nails, screws or any other unwanted fixtures
Remove all the old floor coverings that are loose
If timber floors, all of the quad must be removed and new MDF provided for the painter to paint, but fitted after the floor has been polished
Quad to be laid around the fire place as well
All wooden doors to operate correctly
All doors, doorframes and architraves are to be in good working order
Replace all of the door furniture including the cupboard doors and draws
New door buffers through out
Front and back doors must have deadlocks and handles that don't interfere with barrier doors
All exterior doors that replaced are to be weather resistant, solid and with weather strips
All timber windows, Architraves and frames to operate correctly
Pin back any loose wall sheets
Built in cupboards doors to operate correctly, shelves to be in place, replace if in poor condition or missing
Provide a hanging rail if the one there is in poor condition or is missing
Check that all the internal panels are secure and in place, if not fix
Remove any unused brackets of fixtures or replace them so they are usable

Electrician

Replace all light switches
Replace all GPO's with doubles
Provide globes for all light fittings
Replace all of the light fittings

Plumber

To provide new gas bayonets if needed and to make all vents comply with Alinta gas

Blind Company

Provide and fit 25mm slim line blinds through out the house

Glazier

To re wire all fly screens
Replace any cracked chipped or missing glass
Provide winders and screens to any suitable windows
Check all the aluminium windows and doors operate correctly replace any components required
Aluminium window and door hardware to be in good working order and not to look daggy

Painter

To paint all previously painted surfaces and any new as specified including the inside of the fire places(black) and any built in cupboards inside and out

Floor sander

Sand and coat all exposed timber floors with three coat polyurethane system

8500 24 Balfour Scope

LOUNGE

Maintenance

Open up fire place

Reline under the windows stud out and use hardies plank on the out side and gyprock on the inside

Electrician

4 down lights

Hall Way

Electrician

Down lights

Maintenance

Reline to 1750 high

- Wall with big dent to
- Wall next to linen Cupboard

Bed room 1

Maintenance

2 New top shelves in cupboard

Quad at the bottom cupboard in the back

Reline to 1750 high

- Southern wall

Pin back the loose wall sheets on the Northern wall

Bed room 2

Maintenance

Reline walls

- Northern 1750 high
- Western wall under window

New door

Bedroom 3

Maintenance

Reline walls to 1750 high

- Western

Remove the existing cupboards and make good the wall and ceiling if required

KITCHEN

Maintenance

Remove all asbestos and vertical metal jointing strips.

Replace with gyprock and flush ready to paint

Remove plaster rang hood, patch wall, ceiling and cornice

Remove old cupboards, pantry and overhead cupboards allow to patch wall wear cupboards were (using moister resistant behind sink)

8500 24 Balfour Scope

Remove old tiles

Remove central ceiling vent and patch

Cabinet maker as per the drawing

New bench cupboards with inset sink (supplied by others)

New overhead cupboard

New pantry

New overhead with range hood ducted through roof and flashed

Tiler

Splash back and between bench top and underside of overheads, behind stove

Plumber

Remove old taps and nozzles, disconnect sink

Supply and fit new double inset sink with flick mixer type tap alter waste to suit

Supply gas to hob (don't run gas pipe through the cupboard please)

Electrician

Replace light switches

Reposition GPO for fridge

1 single 36w fluros with diffusers in the kitchen area and 4 3 down lights in the dining area

Replace single power point

1 single power point for range hood

Supply and fit new g.p.o double

Power supply for the under the bench electric oven

Remove the power source to the oven

Floor Coverings

Click lock floating floor

Bathroom

Maintenance

Strip the walls of all the asbestosis sheets, fit villa board and flush ready to paint remove the horizontal metal strip and flush

Existing vanity door to be suitable for a full length mirror and have handle to open, check hinges

If the bath is being moved allow to rebuild the up-stand (Please check with plumber) as may be set higher off floor)

Moister resistant door new

Electrician

1 single 18w fluro with diffuser and 10" exhaust fan switched to together in bathroom

Tiler

From corner left of mirror all way around bath to left hand architrave of door up to metal joint strip with tile and colour as specified

Ledge and face of bath

Floor and skirting

Raise floor waste

Supply and fit cover strip for edge of tiles

All work is supply and fit

8500 24 Balfour Scope

Plumber

Remove the old bath replace, please set higher off the floor than it is, have shower and bath nozzle at opposite ends. With the tap sets on the face wall. Run any new pipe work as necessary before the walls are relined.

Remove old basin, taps, shower rose, shower taps and all bath taps and nozzle

Supply and fit replacements

Glazier

Supply and fit p.v window with obscure glass

Supply and fit mirror to full length of existing vanity door

Shower screen

Cabinet maker

Make and fix vanity unit free standing 900 x 600 (basin supplied by others)

Painter

Inside and out at existing vanity

Toilet

Maintenance

Provide a new toilet roll holder

Glazier

New fly wire on window

Laundry

Maintenance

Remove batons from ceiling and flush

Remove any vents in the ceiling and make good the ceiling

Sort out some sort of a sill for the rear door and place a weather strip in it

Remove the existing cupboard

Plumber

Remove old trough and taps and nozzle

Supply and fit new as specified

New grill for floor waste

Run pipes for washing machine to right hand side of window allow for conversion as to fit the inset trough with pipes and waste

Supply and fit new taps

Allow to remove any redundant pipes

Move the floor waste to suit the new cupboards

Glazier

Remove existing wooden window with louvres and replace with half fixed, half slide with flywire

Electrician

1single 36w defuses in laundry

Replace washing machine switch with double GPO vertical check that it is in the right position if a conversion of the washing machine and the trough are to happen

8500 24 Balfour Scope

G.P.O for reticulation

Tiler

Allow to retile over the bench cupboard and around the window

Run 1 tile high skirt throughout both toilet and laundry

Floor Coverings

Remove the existing tiles

Patch and screed laundry and toilet and lay vinyl complying with specs and colour scheme

Cabinet Maker

Bench cupboard with inset sink (supplied by others) and broom cupboard

Broom cupboard to be 1000 wide 2 doors and the bench and cupboard total length about 2200