

8500 External ONLY RETAINED PROPERTY RETAINED PROPERTY

EXTERNAL

General Notes

All works to comply with Department Of Housing and Works specifications, architects colour scheme or garden architects plans

FRONT YARD

Maintenance

Provide new letter box and numbers (check with supervisor for position)

House

House External

Electrician

Check that all of the lights are in good working order if not replace

1 new circuits breaker with separate R.C.D M.C.B protection for power circuits and R.C.D M.C.B protection for light circuit

1 main earth check is in good working order if not rectify as required

Earthing for all existing light points

Safety check and mega test installation

Allow to supply and fit new globes for all new and existing fittings

1 light switch under car port fit weather proof H.P.M 616 light fitting and have it two way switched with front light inside if not existing and in good working order

Provide smoke alarms to comply with by laws

External Light Points.

Light points are to be supplied to the front, rear and carport and shall be incandescent waterproof light fittings.

Painter

All previously painted surfaces

Front veranda

Meter box inside and out

Paint all of the roof stacks pipe vents est. on the roof

Carport

Roof restorers

Full roof restoration and new colour bond gutters and down pipes including those on the carport (connect to storm water if available) if required

Maintenance

Fix or replace all damaged fascia, bargeboard or eaves linings

Replace missing cover batons

Fix or replace Scotia from eaves

Fix tile fillets from side of house

Remove any old brackets, nails or any other obsolete fixtures

45 degree braces on each corner of the carport